

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of the Claims:

---

1. (Currently Amended) A method of mapping electronic devices coupled to a wireless network comprising:

displaying a first list of names of a plurality of electronic devices coupled to the wireless network on a display screen of a first electronic device coupled to the wireless network;

displaying a visual cue on the display screen in response to receiving a broadcast of a wireless identification signal from a second electronic device sent to multiple electronic devices, the cue identifying a default name associated with the second electronic device in the first list of names of electronic devices; and

providing ~~automatically~~ an option on the first electronic device to rename the default name associated with the second electronic device to a local name.

2. (Currently Amended) The method of claim 1, further comprising providing an option to ~~send~~ broadcast a wireless identification signal from the first electronic device to the multiple electronic devices, including the second electronic device, to cause a visual cue to be displayed on a display screen of the second electronic device, the cue identifying a default name associated with the first electronic device

in a second list of names of a plurality of electronic devices coupled to the wireless network.

3. (Currently Amended) The method of claim 2, further comprising providing an option to ~~send~~ broadcast a wireless activation signal to a user-selected electronic device from the first list of names of electronic devices, the activation signal to cause the user-selected electronic device to identify itself using an audio or visual cue.

4. (Currently Amended) The method of claim 1, further comprising providing an option to ~~send~~ broadcast a wireless activation signal to multiple a user-selected electronic devices from the first list of names of electronic devices, the activation signal to cause the user-selected electronic devices to identify ~~itself~~ themselves using an audio or visual cue.

5. (Original) The method of claim 1, further comprising providing a data exchange option on the first electronic device to send a file to the second electronic device, the data exchange option identifying the second electronic device by the local name.

6. (Original) The method of claim 4, wherein displaying the first list of names is done in response to a user of the first electronic device selecting a wireless network mapping menu option.

7. (Original) A computer system programmed to implement the method of claim 1.

8. (Currently Amended) A method of mapping electronic devices coupled to a wireless network comprising:

displaying a first list of names of a first plurality of electronic devices coupled to a first wireless network on a display screen of a first electronic device;

71 providing an option to ~~send~~ broadcast a wireless activation signal to multiple a user-selected electronic devices from the first list of names of electronic devices,

the activation signal to cause the user-selected electronic devices to identify ~~itself~~ themselves using an audio or visual cue;

providing an ~~automatic~~ option on the first electronic device to rename the default name associated with ~~the~~ a second electronic device to a local name; and

providing a first data exchange option on the first electronic device to exchange data with the user-selected electronic devices.

9. (Currently Amended) The method of claim 8, further comprising displaying a visual cue on the display screen in response to receiving a broadcast of a wireless identification signal from a second electronic device, the cue identifying a default name associated with the second electronic device in a second list of names of a second plurality of electronic devices coupled to a second wireless network.

10. (Cancelled)

DI 11. (Currently Amended) The method of claim 10, further comprising providing an option to ~~send~~broadcast a wireless identification signal from the first electronic device to, multiple electronic devices, including the second electronic device, to cause a visual cue to be displayed on a display screen of the second electronic device, the cue identifying a default name associated with the first electronic device in a third list of names of a plurality of electronic devices coupled to the second wireless network.

12. (Original) The method of claim 11, further comprising providing a second data exchange option on the first electronic device to receive a file from the second electronic device, the data exchange option identifying the second electronic device by the local name.

13. (Original) The method of claim 8, wherein displaying the first list of names is done in response to a user of the first electronic device selecting a wireless network mapping menu option.

14. (Original) The method of claim 8, further comprising providing an option on the first electronic device to rename a name associated with the user-selected electronic device to a local name, the first data exchange option identifying the user-selected electronic device by the local name.

15. (Original) A computer system programmed to implement the method of claim 8.

16. (Currently Amended) A computer system comprising:

a processor;

a wireless communication receiver coupled to the processor;

a wireless communication transmitter coupled to the processor; and

software stored on the computer system to allow a user to ~~send~~ broadcast a

wireless identification signal from the transmitter to ~~an~~ multiple electronic devices

to cause a visual cue to be automatically displayed on a display screen of the

electronic devices, the cue identifying a default name associated with the computer

system in a list of names of a plurality of electronic devices coupled to a wireless

network.

17. (Currently Amended) The computer system of claim 16 wherein the software

further provides an option to ~~send~~ broadcast a wireless activation signal from the

transmitter to multiple a user-selected electronic devices, the activation signal to

cause the user-selected electronic devices to identify ~~itself~~ themselves using an audio

or visual cue.

18. (Currently Amended) A computer-readable medium comprising a plurality of instructions readable therefrom, the instructions, when executed by a first electronic device, cause the first electronic device to perform operations comprising:

displaying a first list of names of a plurality of electronic devices coupled to a wireless network on a display screen of the first electronic device;

displaying a visual cue on the display screen in response to receiving a broadcast of a wireless identification signal from a second electronic device to multiple electronic devices, the cue identifying a default name associated with the second electronic device in the first list of names of electronic devices; and

providing ~~automatically~~ an option on the first electronic device to rename the default name associated with the second electronic device to a local name.

19. (Currently Amended) The medium of claim 18, wherein the operations further comprise providing an option to ~~send~~ broadcast a wireless identification signal from the first electronic device to multiple electronic devices, including the second electronic device, to cause a visual cue to be displayed on a display screen of the second electronic device, the cue identifying a default name associated with the first electronic device in a second list of names of a plurality of electronic devices coupled to the wireless network.

20. (Currently Amended) The medium of claim 19, wherein the operations further comprise providing an option to ~~send~~ broadcast a wireless activation signal

to multiple a user-selected electronic devices from the first list of names of electronic devices, the activation signal to cause the user-selected electronic devices to identify ~~itself~~ themselves using an audio or visual cue.

DI 21. (Currently Amended) The medium of claim 18, wherein the operations further comprise providing an option to ~~send~~ broadcast a wireless activation signal to multiple a user-selected electronic devices from the first list of names of electronic devices, the activation signal to cause the user-selected electronic devices to identify ~~itself~~ themselves using an audio or visual cue.

22. (Original) The medium of claim 18, wherein the operations further comprise providing a data exchange option on the first electronic device to send a file to the second electronic device, the data exchange option identifying the second electronic device by the local name.

23. (Original) The medium of claim 18, wherein displaying the first list of names is done in response to a user of the first electronic device selecting a wireless network mapping menu option.

---